# Indiana's State Wildlife Action Plan Planning Region 4: Valleys & Hills

SURVEY 1 REPORT




## Survey 1: Purpose

Focused on species of greatest conservation need (SGCN)

Update status

Assess trends

State-wide level



## Survey 1 Questions

- 1. Update basic information about SGCN
  - Trends in abundance (past and future)
- 2. Assess habitat conditions for SGCN
  - Current conditions
  - Trends in quantity and quality (past and future)

#### Survey About Species of Greatest Conservation Need and Selection of Indicator Species in Indiana

- In Support of the 2015 Indiana State Wildlife Action Plan -





## Survey 1 Questions

- 3. Determine threats to SGCN using common language
- 4. Discuss conservation actions directly relevant to species
  - Barriers to implementation
  - Effectiveness of actions taken since 2005
- 5. Choose representative species for landscape-level habitat modelling
  - Regional level

#### Survey About Species of Greatest Conservation Need and Selection of Indicator Species in Indiana

- In Support of the 2015 Indiana State Wildlife Action Plan -





## Survey 1 Responses

Total responses: 486 (1-15 per species)

Additional data updates:

- Changes in species' conservation status
- Regional distribution
- Habitat associations
- Changes in land cover
- Insect distribution & habitat

Target audience:
technical experts from
state agencies,
universities, and other
organizations working
directly with SGCN

### Mammals (17)

Subgroup	# species
Bats	12
Mustelids	2
Rabbits	1
Shrews	2



Swamp rabbit. Credit: Glenn Wilson

### Breeding Birds (33)

Subgroup	# species
Herons & Bitterns	4
Shorebirds	2
Rails	3
Terns	2
Raptors	10
Nightjars	2
Songbirds	10



Mississippi kite. Credit: Ned Harris

### Migratory Birds (11)

Subgroup	# Species
Cranes	2
Egrets	1
Rails	1
Shorebirds	6
Swans	1



Foraging shorebirds. Credit: NRCS

### Amphibians & Reptiles (20)

Subgroup	# species
Aquatic salamanders	2
Terrestrial salamanders	2
Frogs	4
Snakes	7
Turtles	5



Alligator snapping turtle. Credit: USFWS





Red-bellied mudsnake. Credit: John Sullivan



Mole salamander. Credit: Rod Williams

### Fish (10)

Subgroup	# species
Minnows	1
Catfish	1
Darters	5
Sunfish	1
Pygmy Sunfish	1
Sturgeons	1



Cypress darter. Credit: Joel Sartore



Banded pygmy sunfish. Credit: Dan Johnson

### Mollusks (17)

Subgroup	# species
River Mussels	17



River mussel diversity. Credit: USFWS



Fat pocketbook mussel. Credit: Paul Hartfield, USFWS

### Changes to SGCN List

#### Removed

- Bobcat
- River otter



Reintroduced river otters. Credit: IDNR

### Removal suggested

- Bald eagle
- Osprey
- Peregrine falcon
- Sandhill crane
- Species occurring in Indiana on periphery of their range

### Changes to SGCN List

#### Added

- Migratory shorebirds
  - Ruddy turnstone, buff-breasted sandpiper, short-billed dowitcher, Wilson's phalarope, American golden-plover, greater yellowlegs, solitary sandpiper
- Eastern small-footed myotis
- Northern cricket frog
- Mole salamander
- Eastern box turtle

### Addition suggested

- All cave bats
- Ruffed grouse

- American woodcock
- Northern bobwhite



Cave bats affected by white-nose syndrome.
Credit: Bat
Conservation Trust

## Survey Results Summary


- 1. Trends in Abundance
  - Past
  - Future
- 2. Current Habitat conditions
  - Total amount
  - Overall quality


- 3. Past Habitat Trends
  - Total amount
  - Overall quality
- 4. Future Habitat Trends
  - Total amount
  - Overall quality


## Survey Results: Past Trends in Abundance


Goal: Determine which species have declined or increased most since the 2005 SWAP was implemented, and get an overall sense of how populations of SGCN have done since then.

Question: Estimate the change in abundance of [species] in Indiana since 2005.












## Survey Results: Future Trends in Abundance


Goal: Determine which species are most likely to decline or increase while the 2015 SWAP is in place, and get an overall sense of how SGCN can be expected to do over the next decade if actions are not taken.

Question: How would you predict the abundance of [species] in Indiana to change over the next 10 years, if current conditions and practices prevail?









### Summary: Trends in Abundance

Species in serious/dramatic decline since 2005:

- Hellbender
- Cottonmouth
- Eastern whip-poor-will
- Loggerhead shrike
- Little brown myotis
- Northern long-eared myotis
- Tri-colored bat (eastern pipistrelle)
- Round hickorynut mussel

Species expected to seriously decline by 2025, if current conditions & practices prevail:

- Hellbender
- Cottonmouth
- Loggerhead shrike
- Little brown myotis
- Northern long-eared myotis
- Indiana myotis
- Tri-colored bat (eastern pipistrelle)



Hellbender, cottonmouth, whip-poor-will, loggerhead shrike, Indiana bat. Credits: Rod Williams Lab, USFWS, Paul Cools, John Maxwell, Justin Boyles

### Summary: Trends in Abundance

Species that have greatly/dramatically increased since 2005:

- Whooping crane
- Bald eagle
- Osprey
- Trumpeter swan

Species expected to greatly/dramatically increase by 2025, if current conditions & practices prevail:

- Bald eagle
- Osprey





Whooping cranes, bald eagle, osprey, trumpeter swan. Credits: IDNR/USFS


## Survey Results: Current Habitat Conditions


Goal: Understand current habitat conditions for SGCN in terms of both quantity and quality.

Question: How would you describe the **total** amount of habitat in Indiana available to [species]?












## Survey Results: Current Habitat Conditions


Goal: Understand current habitat conditions for SGCN in terms of both quantity and quality.

Question: How would you describe the overall quality of habitat in Indiana where [species] currently occurs?













#### Survey Results: Habitat Trends

Goal: Understand how habitat for SGCN has changed since the 2005 SWAP was implemented, in terms of both quantity and quality.













#### Survey Results: Habitat Trends

Goal: Understand how habitat for SGCN has changed since the 2005 SWAP was implemented, in terms of both quantity and quality.













#### Survey Results: Habitat Trends

Goal: Understand how habitat for SGCN can be expected to change while the 2015 SWAP is in place, in terms of both quantity and quality.













#### Survey Results: Habitat Trends

Goal: Understand how habitat for SGCN can be expected to change while the 2015 SWAP is in place, in terms of both quantity and quality.









# Habitat Suitability Modelling

USING THE BEST AVAILABLE SCIENCE TO INFORM INDIANA'S SWAP




#### Landscape-level Habitat Modelling

#### Purpose

- Predictive tool to help us set priority actions
- Objective, quantitative metric
- Proof-of-concept for effectiveness of priority actions ranked in surveys


→ Timber rattlesnake landscape-level habitat suitability maps. Individual suitability indices contributed to the HSI: early successional forest and canopy gaps, woody debris (stand age), habitat composition, proximity to hibernacula, distance from roads (Rittenhouse *et al.* 2006).



## Landscape-level Habitat Modelling

#### **Process**


- Implement models for suite of representative species (4-5) in each region in GIS environment
- Assess habitat suitability with current conditions
- Construct alternate landscape configurations representing possible outcome of actions
- Reapply models to future landscapes and assess how habitat suitability has changed
- Evaluate relative effectiveness of action scenarios
- Use results to inform prioritization of actions





# Selection of Species for Modelling


- 1. Conducted focus group with ~20 species technical experts to produce initial list of options for each region
- 2. Species suggested were based on a set of criteria:
  - a. Actions on the ground make a difference in habitat quality for the species
  - b. Improved habitat quality for the species could represent improvement in habitat quality for a wide range of other species (umbrella effect)
  - c. Enough data available to build a model











# Selection of Species for Modelling

- 3. Survey 1 respondents voted or suggested additional species
- 4. Ranked species by survey responses and selected final suite based on:
  - a. Best data availability for models
  - b. Representation of multiple taxa
  - c. Representation of all focal habitat types in each region
- 5. Final lists were reviewed by Core & Advisory Teams and IDNR wildlife diversity staff

# Region 4 Modelling Species

Species	Taxon	Habitat Types
1. Northern bobwhite	Birds	Agriculture, grasslands
2. Cerulean warbler	Birds	Mature forest
3. Swamp rabbit	Mammals	Bottomland hardwood forest
4. Copper-bellied watersnake	Herps	Aquatic systems, wetlands
5. American woodcock*	Birds	Early successional forest
6. Henslow's sparrow*	Birds	Grasslands

\*time-permitting



Northern bobwhite, cerulean warbler, swamp rabbit, copper-bellied watersnake. Credits: IDNR, John Cassady, Glenn Wilson, Debbie Burton